

# HILLS THYROID CARE FELINE DRY




## How it works:

- Limited iodine
- Controlled phosphorus and low sodium
- High in taurine, L-carnitine & omega-3 fatty acids
- Promotes desirable urine pH
- Clinically proven antioxidants

## How it helps:

- Decreases T4 hormone production
- Supports kidney, heart & urinary health
- Visible improvement in skin & coat
- Helps support a healthy body condition
- Supports a healthy immune system

## DISC SHAPE



**INGREDIENTS:** Corn Gluten Meal, Whole Grain Corn, Chicken Fat, Powdered Cellulose, Egg Product, Chicken Liver Flavor, L-Lysine, Potassium Citrate, Dicalcium Phosphate, Lactic Acid, Fish Oil, Calcium Sulfate, Choline Chloride, Calcium Carbonate, DL-Methionine, Taurine, L-Tryptophan, Brewers Dried Yeast, vitamins (Vitamin E Supplement, L-Ascorbyl-2-Polyphosphate (source of Vitamin C), Niacin Supplement, Thiamine Mononitrate, Calcium Pantothenate, Vitamin A Supplement, Riboflavin Supplement, Vitamin B12 Supplement, Pyridoxine Hydrochloride, Folic Acid, Biotin, Vitamin D3 Supplement), L-Arginine, minerals (Ferrous Sulfate, Zinc Oxide, Copper Sulfate, Manganese

Sulfate), L-Carnitine, Mixed Tocopherols for freshness, Natural Flavors, Beta-Carotene.

## Adult maintenance

Weight of Cat - lbs (kgs)	Amount per Day - cups (grams)
6 (2,7)	3/8 (45)
8 (3,6)	1/2 (65)
10 (4,5)	1/2 (65)
12 (5,4)	5/8 (80)
14 (6,4)	2/3 (85)
16 (7,3)	3/4 (95)
18 (8,2)	3/4 (95)

Animal feeding tests using AAFCO procedures substantiate that Hill's Prescription Diet y/d Chicken Flavor Cat Food provides complete and balanced nutrition for maintenance of adult cats

### IMPORTANT

Because iodine intake from other food sources -- treats, another cats food, etc.

-- can compromise the effectiveness of low-iodine nutrition, its critical that you follow your veterinarians feeding instructions carefully and feed only y/d. Adjust feeding amounts as necessary to maintain optimal weight. If you are unsure, ask your veterinarian.

For best results & safety practices:

- Gradually transition to your pet's new food over a 7 day period.
- Exclusively feed the recommended Prescription Diet dry and/or canned food.
- Keep fresh water available at all times.
- Have your veterinarian monitor your pet's condition.
- To prevent suffocation, keep the packaging out of the reach of pets and children