

HILLS THYROID CARE FELINE WET PATE



INGREDIENTS: Water, Pork Liver, Pork By-Products, Chicken, Corn Flour, Rice, Chicken Fat, Chicken Liver Flavor, Powdered Cellulose, Calcium Carbonate, Fish Oil, Natural Flavor, L-Lysine, Potassium Chloride, DL-Methionine, vitamins (Vitamin E

Supplement, Thiamine Mononitrate, Ascorbic Acid (source of Vitamin C), Niacin Supplement, Pyridoxine Hydrochloride, Calcium Pantothenate, Vitamin B12 Supplement, Riboflavin Supplement, Folic Acid, Vitamin D3 Supplement, Biotin), Guar Gum, Taurine, Choline Chloride, Salt, Cysteine, Dicalcium Phosphate, L-Carnitine, minerals (Ferrous Sulfate, Zinc Oxide, Copper Sulfate, Manganese Sulfate), Beta-Carotene.

How it works:

- Limited iodine
- Controlled phosphorus and low sodium
- High in taurine, L-carnitine & omega-3 fatty acids
- Promotes desirable urine pH
- Clinically proven antioxidants

How it helps:

- Decreases T4 hormone production
- Supports kidney, heart & urinary health
- Visible improvement in skin & coat
- Helps support a healthy body condition
- Supports a healthy immune system

Adult maintenance

Weight of Cat - lbs (kgs)	Amount per Day - 5.5 oz (156 g) cans
6 (2,7)	1
8 (3,6)	1 1/4
10 (4,5)	1 1/3
12 (5,4)	1 1/2
14 (6,4)	1 3/4
16 (7,3)	2
18 (8,2)	2

Nutrient	Dry Matter ¹ %
Protein	33.2 %
Fat	27.1 %
Carbohydrate / NFE	31.2 %
Crude Fiber	3.1 %
Calcium	0.84 %
Phosphorus	0.52 %
Potassium	0.84 %
Sodium	0.25 %
Magnesium	0.054 %

Iodine	0.1 ppm
--------	---------

Taurine	0.26 %
---------	--------

Carnitine	636.8 ppm
-----------	-----------

Animal feeding tests using AAFCO procedures substantiate that Hill's Prescription Diet y/d with Chicken Cat Food provides complete and balanced nutrition for maintenance of adult cats

IMPORTANT

Because iodine intake from other food sources -- treats, another cats food, etc. -- can compromise the effectiveness of low-iodine nutrition, its critical that you

follow your veterinarians feeding instructions carefully and feed only y/d.

Adjust feeding amounts as necessary to maintain optimal weight. If you are unsure, ask your veterinarian.

For best results & safety practices:

- Cover and refrigerate unused portion.
- Gradually transition to your pet's new food over a 7 day period.
- Exclusively feed the recommended Prescription Diet dry food & canned food.
- Keep fresh water available at all times.
- Have your veterinarian monitor your pet's condition.