



Medical Indications:

Diets with these nutritional modifications have been recommended for dogs with the following conditions:

- Dissolution of sterile struvite uroliths*
- Reducing the risk of calcium oxalate urolith recurrence
- Reducing the risk of sterile struvite urolith recurrence*

Medical Contraindications:

- Hyperlipidemia

*Most struvite uroliths in dogs are caused by urinary tract infections. In the case of non-sterile struvite uroliths, it is important to treat with the appropriate antibiotic in addition to dietary management.



Feeding and Administration:

Pro Plan Veterinary Diets UR Urinary Ox/St Dry Canine Formula is formulated to meet the nutritional levels established by the AAFCO Dog Food Nutrient Profiles for maintenance of adult dogs.

Animal feeding tests using AAFCO procedures substantiate that Pro Plan Veterinary Diets UR Urinary Ox/St Canned Canine Formula provides complete and balanced nutrition for maintenance of adult dogs.

The following feeding program is recommended as a guideline only, with discretionary clinical adjustments for proper weight maintenance.

| FEEDING GUIDE ¹ | | | |
|---|------|--|---|
| BODY WEIGHT | | DRY | CANNED |
| lbs | kg | Approximate Number of 8-oz Cups/Day ³ | Approximate Number of 13.3-oz Cans/Day ³ |
| 5 | 2.3 | 5/8 | 3/4 |
| 10 | 4.5 | 1 | 1 |
| 20 | 9.1 | 1 5/8 | 1 1/2 |
| 30 | 13.6 | 2 1/4 | 2 |
| 40 | 18.2 | 2 5/8 | 2 1/2 |
| 50 | 22.7 | 3 1/8 | 3 |
| 60 | 27.3 | 3 1/2 | 3 1/4 |
| 80 | 36.4 | 4 1/4 | 4 |
| 100 ⁴ | 45.5 | 4 7/8 | 4 3/4 |
| CALORIE CONTENT (CALCULATED) ² | | | |
| | | 3278 kcal/kg | 1027 kcal/kg |
| | | 1487 kcal/lb | 466 kcal/lb |
| | | 365 kcal/8-oz cup | 378 kcal/13.3-oz can |
| | | 111 g/cup | |

Ingredients (Dry):

Whole grain corn, rice, chicken by-product meal, corn protein meal, animal fat preserved with mixed-tocopherols, powdered cellulose, egg and chicken flavor, glycerin, natural flavor, salt, calcium carbonate, phosphoric acid, potassium chloride, magnesium sulfate, L-Lysine monohydrochloride, zinc proteinate, Vitamin E supplement, choline chloride, potassium citrate, ferrous sulfate, manganese proteinate, niacin (Vitamin B-3), Vitamin A supplement, copper proteinate, calcium pantothenate (Vitamin B-5), thiamine mononitrate (Vitamin B-1), Vitamin B-12 supplement, riboflavin supplement (Vitamin B-2), pyridoxine hydrochloride (Vitamin B-6), folic acid (Vitamin B-9), calcium iodate, menadione sodium bisulfite complex (Vitamin K), biotin (Vitamin B-7), Vitamin D-3 supplement, sodium selenite. D263223

Ingredients (Canned):

Chicken, water, meat by-products, liver, rice, powdered cellulose, guar gum, carrageenan, potassium chloride, magnesium sulfate, natural smoke flavor, potassium citrate, caramel color, calcium sulfate, Vitamin E supplement, thiamine mononitrate (Vitamin B-1), zinc sulfate, ferrous sulfate, niacin (Vitamin B-3), calcium pantothenate (Vitamin B-5), copper sulfate, manganese sulfate, pyridoxine hydrochloride (Vitamin B-6), Vitamin B-12 supplement, riboflavin supplement (Vitamin B-2), Vitamin A supplement, folic acid (Vitamin B-9), Vitamin D-3 supplement, biotin (Vitamin B-7), potassium iodide, sodium selenite. B259422

Urinary Management:



Promotes a urinary environment unfavorable to the development of both sterile struvite uroliths* (undersaturated, RSS<1) and calcium oxalate uroliths (metastable, RSS<12)



Helps dissolve sterile struvite uroliths*



Helps reduce the risk of both sterile struvite* and calcium oxalate urolith recurrence

- UR Ox/St canned diet contains > 74% moisture to contribute to total water intake

General Health:

- Appropriate protein content to help maintain ideal body condition and lean body mass
- Contains antioxidant vitamins A and E to support a healthy immune system, including a high level of vitamin E to help reduce oxidative stress
- Great taste to help ensure adequate nutrient intake

AVERAGE NUTRIENT CONTENT

| | DRY | | | CANNED | | |
|---------------------------|-----------------|--------------|--------------|-----------------|--------------|---------------|
| | PER 100 KCAL ME | AS FED | DRY MATTER | PER 100 KCAL ME | AS FED | DRY MATTER |
| Protein | 6.86 g | 22.48% | 24.65% | 8.52 g | 8.75% | 35.71% |
| Fat | 3.26 g | 10.68% | 11.71% | 5.84 g | 6.00% | 24.49% |
| Carbohydrate | 13.77 g | 45.14% | 49.50% | 5.87 g | 6.03% | 24.59% |
| Crude Fiber | 1.50 g | 4.93% | 5.41% | 2.50 g | 2.56% | 10.46% |
| Total Dietary Fiber | 3.14 g | 10.30% | 11.30% | 3.81 g | 3.91% | 15.96% |
| Soluble Fiber | 0.26 g | 0.85% | 0.93% | 0.33 g | 0.34% | 1.39% |
| Insoluble Fiber | 2.87 g | 9.41% | 10.32% | 3.48 g | 3.57% | 14.57% |
| Calcium | 0.36 g | 1.19% | 1.30% | 0.24 g | 0.25% | 1.02% |
| Phosphorus | 0.26 g | 0.84% | 0.92% | 0.21 g | 0.22% | 0.89% |
| Potassium | 0.20 g | 0.67% | 0.73% | 0.21 g | 0.21% | 0.87% |
| Sodium | 0.35 g | 1.15% | 1.26% | 0.06 g | 0.06% | 0.24% |
| Chloride | 0.61 g | 2.01% | 2.20% | 0.09 g | 0.09% | 0.36% |
| Magnesium | 0.03 g | 0.10% | 0.11% | 0.03 g | 0.03% | 0.11% |
| Copper | 0.49 mg | 15.93 mg/kg | 17.47 mg/kg | 0.26 mg | 2.69 mg/kg | 11.00 mg/kg |
| Zinc | 7.84 mg | 257.00 mg/kg | 281.83 mg/kg | 3.88 mg | 39.81 mg/kg | 162.51 mg/kg |
| Vitamin A | 364 IU | 11,936 IU/kg | 13,089 IU/kg | 2,613 IU | 26,838 IU/kg | 109,541 IU/kg |
| Vitamin E | 17.63 IU | 577.80 IU/kg | 633.63 IU/kg | 12.29 IU | 126.25 IU/kg | 515.31 IU/kg |
| Total Omega-6 Fatty Acids | 0.52 g | 1.72% | 1.89% | 1.12 g | 1.15% | 4.68% |
| Total Omega-3 Fatty Acids | 0.02 g | 0.06% | 0.07% | 0.04 g | 0.04% | 0.16% |
| EPA+DHA | 0.00 g | 0.00% | 0.00% | 0.00 g | 0.00% | 0.00% |

DIGESTION TEST RESULTS†

| DIGESTIBILITY: | DRY | CANNED |
|--|------|--------|
| Total, % | 82.9 | 77.7 |
| Protein, % | 85.0 | 88.5 |
| Fat, % | 93.5 | 96.6 |
| Carbohydrate, % | 93.7 | 79.2 |
| Calorie, % | 86.6 | 84.3 |
| PERCENTAGE OF METABOLIZABLE ENERGY FROM: | | |
| Protein, % | 24.0 | 30.8 |
| Fat, % | 27.7 | 47.2 |
| Carbohydrate, % | 48.3 | 22.0 |

† Based on digestion testing conducted at the Purina PetCare Technology Centers

* Most struvite uroliths in dogs are caused by urinary tract infections. In the case of non-sterile struvite uroliths, it is important to treat with the appropriate antibiotic in addition to dietary management.

1 Adjustments must be made for environmental conditions, activity level, body condition and breed size. As reflected in the feeding tables, smaller breed dogs can require 15% to 25% more kilocalories per pound of body weight than larger breed dogs. Provide fresh water in a clean container daily.

2 Kilocalories of metabolizable energy (ME)

3 This daily amount should be divided into several small meals throughout the day.

4 For each additional 10 lbs of body weight, feed an additional 114 kilocalories.